



MODEL: **A3300P**

THERMAXX ADVANTAGE

THE ADVANTAGE IS TO YOUR BOTTOM LINE

Temperature Capacity
-20°C

Cubic Capacity
13.62m³

BODY DIMENSION

External length **3300mm**
External width **2490mm**
External height **2000mm**

Internal length **3140mm**
Internal width **2410mm**
Internal height **1800mm**

Pallet loading **4 Pallet capacity**

Fitted body weight

***1155kg**

PANELS THICKNESS

Roof/floor **100mm**
Front wall **100mm**
Side walls/side doors **40mm**
Rear doors **60mm**

Side door

Passenger side pallet door
1800 x 1400mm

Rear door

Double - (left opens first)

Front wall frame

Universal to suit off engine
drive units

Side step

Fixed rung step

Rear step

Fixed plank step

Cargo track

1 recessed row @ 900mm
1 shoring bar

Floor

One piece aluminium ricegrain

Internal light

1 LED sensor light

Refrigeration

Thermo King SV400




Thermal efficiency 'K' VALUE .57 W/m²K tested to Australian Standard AS4982

Standard Inclusions

- High density polyurethane insulation
- European design
- European construction
- Low tare weight
- Higher legal payload
- Galvanised sub frame
- Recessed stainless door hardware
- Stainless door frames
- Anodised corner mouldings
- Long life EPDM rubber seals
- Internal LED sensor lights
- Rubber bump stops

Model No: A3300P-BDEHI

- Rear/side grab handles
- Moulded plastic mud guards
- Alloy kick panel
- Options available to suit customer requirements



STE/TRS/Thermamaxx mission is one of continuous improvement, we reserve the right to change without notice or obligation to modify the technical specifications and aesthetic characteristics of the Thermamaxx product. Please note: STE/TRS/Thermamaxx provides the information contained herein in good faith and changes may have been made to the product since this brochure went to print (01.01.2023). *Fitted body weight is an approximate weight based on the standard products supplied. Note: final weight may vary based on the type of cab chassis used, and/or extra body equipment added. The 4 year warranty is for the Thermamaxx Advantage products only.